

## Series 2000 Modular Console System - NEMA 12, 4, 4X

**Rack Mount Accessories** 



#### Flat Steel or Aluminum Panels

- Economical panels are made from high quality steel or aluminum.
- · Mounting hardware not included, please order separately.
- Available in light gray (LG2), black (BK2) or gray (GY2).
- Aluminum panels are also available unfinished (UNF).



#### **Formed Steel Panel**

- A 0.50" fold top and bottom adds strength without increasing the panel thickness.
- Mounting hardware not included, please order separately.
- Available in light gray (LG2), black (BK2) or gray (GY2).



No. of Slots	Panel Height Inches	Units	Flat 14 Gauge Steel (0.075")	Flat 0 .125" Aluminum	Formed 16 Gauge Steel (0.060")
4	1.75	1	PBPS19001 <sup>1</sup>	PBPA19001 <sup>2</sup>	PBFS19001 <sup>1</sup>
	3.50	2	PBPS19003	PBPA19003	PBFS19003
	5.25	3	PBPS19005	PBPA19005	PBFS19005
	7.00	4	PBPS19007	PBPA19007	PBFS19007
	8.75	5	PBPS19008	PBPA19008	PBFS19008
8	10.50	6	PBPS19010	PBPA19010	PBFS19010
	12.25	7	PBPS19012	PBPA19012	PBFS19012
	14.00	8	PBPS19014	PBPA19014	PBFS19014
	15.75	9	PBPS19015	PBPA19015	PBFS19015
	17.50	10	PBPS19017	PBPA19017	PBFS19017
	19.25	11	PBPS19019	PBPA19019	PBFS19019
	21.00	12	PBPS19021	PBPA19021	PBFS19021
	22.75	13	PBPS19022	PBPA19022	PBFS19022
10	24.50	14	PBPS19024	PBPA19024	PBFS19024
	26.25	15	PBPS19026	PBPA19026	PBFS19026
12	28.00	16	PBPS19028	PBPA19028	PBFS19028
	29.75	17	PBPS19029	PBPA19029	PBFS19029
	31.50	18	PBPS19031	PBPA19031	PBFS19031

<sup>&</sup>lt;sup>1</sup> Specify color code. Light Gray (LG2), Black (BK2) or Gray (GY2).

Technical references and CAD downloads available at www.hammondmfg.com

All dimensions in inches unless specified otherwise

<sup>1</sup> unit = 1.75

<sup>&</sup>lt;sup>2</sup> Specify color code. Light Gray (LG2), Black (BK2) Gray (GY2) or Unfinished (UNF). When unfinished, panels are paper covered on one side.



# Series 2000 Modular Console System - NEMA 12, 4, 4X Rack Mount Accessories





- · Mounting hardware not included, please order separately.
- 19" sold in pairs, 23" sold individually (only 1 required).
- · Available in light gray or black.

Panel H	eight	For 14 Ga. Steel (0.075")
Inches	Units	19" Widths
1.75	<b>1</b> <sup>2</sup>	PBAS19001 <sup>1</sup>
3.50	<b>2</b> <sup>2</sup>	PBAS19003
5.25	<b>3</b> <sup>2</sup>	PBAS19005
7.00	42	PBAS19007
8.75	5 <sup>2</sup>	PBAS19008
10.50	6	PBAS19010
12.25	7	PBAS19012
14.00	8	PBAS19014



<sup>&</sup>lt;sup>2</sup> 23" to 24" adaptors are available in these heights only; substitute "23" for "19" in the part no.



#### Storage Drawer Kit

- Complete drawer kit with slides and lock.
- · Available in 3 depths.
- · Rear support brackets included for all depths.
- · Available in light Gray or black.



19" Drawer Kit Part Numbers			Panel I	Height
12" Deep Drawer	16" Deep Drawer	22" Deep Drawer	Inches	Units
RDRW1900312 <sup>1</sup>	RDRW1900316 <sup>1</sup>	RDRW1900322 <sup>1</sup>	3.50	2
RDRW1900512	RDRW1900516	RDRW1900522	5.25	3
RDRW1900712	RDRW1900716	RDRW1900722	7.00	4
RDRW1900812	RDRW1900816	RDRW1900822	8.75	5

<sup>&</sup>lt;sup>1</sup>Specify 3 digit color code. Light Gray (LG1) or Black (BK1).

For 24" panel width versions, substitute "19" with "24" in the part number.





#### **Equipment Slides**

- Sold in pairs.
- Mounts on combination rail front flange (not included).

		Weight
Part No.	(A) Length	Capacity (Pair)
RSLIDE12	12	120 lb
RSLIDE16	16	130 lb
RSLIDE22	22	120 lb





-		A	
	<del></del>		7
00 0 0	0 0 0	0	o 0 o 0 ₩
\rac{1}{2}	0 0		

Technical references and CAD downloads available at www.hammondmfg.com

All dimensions in inches unless specified otherwise

<sup>&</sup>lt;sup>1</sup>Specify color code. Light Gray (LG2) or Black (BK2).



## Series 2000 Modular Console System - NEMA 12, 4, 4X

**Rack Mount Accessories** 



#### **Adjustable Support Angles**

- Angles mount on accessory rails with either leg used as support depending on requirements.
- Slots allow up/down or front/back adjustments.
- Made of 14 gauge steel, with dimensions of 1.75" x 1.75".
- Finished in black (BK3).
- Mounting hardware not included, please order separately.



Part No. (Pair)	Length (Inches)
RASA12BK3	9.98
RASA16BK3	14.95
RASA22BK3	20.95



#### **Fixed Chassis/Shelf**

- Can be used as a permanently mounted support shelf between accessory rails or as a pull-out chassis.
- · Accepts optional slides for pull-out application.
- Material is 18 gauge (shelf) and 14 gauge (brackets).
- Shelf is 16.8" wide x 0.5" high.
- Refer to table at right for depth.
- · Finished in white.



Part No.	Panel	Shelf	Bracket
	Width	Depth (In.)	Depth (In.)
RASC1912WH2	19	11.9	13.2
RASC1916WH2	19	15.9	14.9
RASC1922WH2	19	21.9	20.9
RASC2412WH2	24	11.9	13.2
RASC2416WH2	24	15.9	14.9
RASC2422WH2	24	21.9	20.9



#### **Equipment Shelf**

- This closed utility shelf has 1.5 diameter cord access holes in each bottom corner. Fabricated from 18 gauge steel on top, bottom and sides.
- Inside dimensions are: 17.2" (wide) x 15.0" (deep).
- Height is 1" less than panel space.
- Finished in white.
- Mounting hardware not included, please order separately.



	Panel Height	
Part No.	Inches	Units
RASE1900815WH2	8.75	5
RASE1901015WH2	10.50	6
RASE1901215WH2	12.25	7

1 unit = 1.75"



#### **Adjustable Support Bar**

- This 16 gauge steel support fastens between accessory rails for support across rear of equipment.
- Minor modification required for use with tapped rails.
- Finished in black.





Part No.	Length (Inches)
RASB19BK1	19
RASB24BK1	24

Technical references and CAD downloads available at www.hammondmfg.com

All dimensions in inches unless specified otherwise



### Series 2000 Modular Console System - NEMA 12, 4, 4X **Rack Mount Accessories**



#### **Optional Locks & Latches**

- Field installable.
- Interchangeable with standard latches.
- Maintains NEMA Type 4, 4X,12, 13 rating.

Part No.	Description	
2WKL	Wing knob lock, zinc die/black	
2SQI7	7mm square insert, black	
2SQK7	7mm square key, fits 2SQI7	
2TRI7	7mm triangle insert, black	
2TRK7	7mm triangle key, fits 2TRI7	
2SLI	Slotted insert, black	
2QPL	Padlockable quarter turn latch, black	



#### **Series 2000 Console Casters**

- · Locking and non-locking versions.
- · Mount directly to plinths.
- Sold in pairs to provide ability to mix locking and non-locking.
- Recommend 4 casters for 24"/36" and 6 casters for 48"/60".
- · Weight capacity of 500 lbs. per pair.

Part No.	Туре	No. of Casters
2CCSTL	Locking	2
2CCSTN	Non-Locking	2

Technical references and CAD downloads available at www.hammondmfg.com

All dimensions in inches unless specified otherwise

Data Subject to change without notice